G.R.S. IX—5]

Previous references. (192 3-24)

File No.

Serial Nos. 2

Later references.

GENERAL AND REVENUE SECRETARIAT.

Serial Nos. 2

Part B for June 24

SUBJECT

Starting of Nitre Amanikere Maintenance work in the Trincomalee Dt.

I The Revenue
" D.C. Trincomalee Dt
" Chief Engineer
" Comptroller

No. L&L 3-6/D 24-2-23 dated 26.3.24.

Sanctions the Starting of Nitre Amanikere maintenance work at an estimated Cost of Rs 4320/-, the liability of Government to Rs 1700/-

G. R. S. III. 2]

Muzrai Secretariat

~~Muz~~. File No. 14 of 1923-24

Serial No.

22

From.

The Rev Commr.

No D 44/23-24 dated 21.6.1924

Forwards letter no OC 1840/23-24 dated 20th June 1924 from the D.C. Bellary recommending sanction to start the Nittur Amanikere in the Gubbi taluk at an estimated cost of Rs 4320/, the excess liability of Rs 178-8-0 being borne by Govt. and also requests [illegible] to start the [illegible] work.

As the Nittur Tank work has already been started, sanction has perhaps to be accorded therefor. It does not seem necessary to sanction the Puradakere work as the liability on Govt in respect of this work is not known & as it is not clear as to whether the work should be started as a relief measure.

Dft fo. is put up for approval. Sheet

DIWAN'S OFFICE,
RECD. 24 JUN. 1927
Reg. No. 9264

NOTE—Contn. sheet

WD 0561—GPB—3750—1-8-22

28/6/24 Rev. Secy

Dy Secy

25-6-24

24-6

Secy

25.6.24

G. R. S. III·2]

Muzrai Secretariat | Muz. File No. | of 192 .

Serial No.

23

To

The Revenue
D. C. Tumkur
Chief Engr
Comptroller
No 1213-6 Dt 26.6.24.

Sanctions the starting of [illegible]
with [illegible] at an estimated
Cost [illegible]

NOTE—Contn. sheet

WD 0561—GPB—3750—1-8-22

38853

"IMMEDIATE (D)".O.C.1840/22-23. Enc. nil.

Office of the Deputy Commissioner,

Tumkur District,

Dated Tumkur, the 20th June 1924.

From

Md. Zahiruddin Mecci, Esquire., B.A.,

Deputy Commissioner, Tumkur District,

T u m k u r.

To

K. Chandy, Esquire., B.A.,

Revenue Commissioner in Mysore,

B a n g a l o r e.

S i r,

I have the honour to state that the Maintenance Work of Nittur Tank, has been started to engage the cooly class. The amount of estimate, as intimated by the Executive Engineer, is Rs.4,320/-. The revenue realised thereunder is Rs.4,141-8-0, i.e., the combined atchkat - Nittur Amanikere and Puradakere, - the latter having no independent atchakat. The estimate for Puradakere is under preparation, the outlay of which, will have to be entirely borne by Government. The excess amount to be borne by the Government is Rs.178-8-0. Since the starting of this work was very necessary, to provide labour to cooly class, I request that sanction of Government may kindly be obtained - therefor and the same intimated to me. Permission may also be kindly granted for starting the Puradakere work pending preparation of the estimate and sanction of Government for meeting the whole cost by Government.

I have the honor to be,

sir,

your most obedient servant,

For Deputy Commissioner,
Tumkur District.

NVK.

G.R.S. VI G 34]

SUBJECT.....

.....

.....

Diary No. of letter replied to.....

General and Revenue Secretariat

( )

, *the* 192 .

Date of issue.... 7.6.24

Signed by.... Mr T.N

May this be

i Printed ?

ii treated as a standing order ?

iii published in the Gazette, English Part ?

iv translated ?

v placed at the disposal of the press ?

vi published in the Gazette, Kannada Part ?

Section Dr

File No. 14—23

Serial No. 23

Proceedings of the Government of His Highness the Maharaja of Mysore

Read—

Memo no D $\frac{44}{23-24}$ dated 21st June 1924 from the Revenue Commr forwarding letter dated 20th June 1924 from the D.C. Tumkur stating that the maintenance work of Nittur tank has been started to give employment to the ~~Order Thereon~~ No. Class, at an estimated cost of Rs 4320, the excess liability to the extent of Rs 778-8-0 being met by the Govt and

recommending (1) Sanction
thereto and also (2) permission
to start Purandhar tank work
pending preparation of the estimate
and ~~execution~~ Govt
of R)

Order No:- 1213-6/D

Sanction is accorded
to the starting of the
Nittur Anamikere, only the
excess liability being met out
of Rs 34,417 sanctioned in the G.O.
dated 7.3.1924:: As regards the
Purandhar tank, the ~~application~~ Govt may be
consulted and intimated
to Govt in due course.

Perused
13.6.24. Revised draft
sent.

List of enclosures.

To
The Revl Commr
The D.C. Dharwar Dt
The Chief Engr
The Comptroller

Copied by

Examined by

WD 1686—GPB—1,000,00—21-12-21

05381

Dy No 128

From

JOHN BHORE, Esq., A.M.I.C.E., M.R.SAN.I.
CHIEF ENGINEER,
Camp-Sidlaghatta.

No. 1166 Dated 17th July 24.

To

K.V.Anantharaman, Esq., B.A.,
Secretary to Government,
Revenue Department,
Bangalore.

Sir,

Adverting to Government Order No.1213-6/D.14-23 dated the 26th June 1924, re Puttakere tank, I have the honor to forward herewith for information a copy of letter No.37 dated the 10th July 1924, from the Executive Engineer, Tumkur Division, on the subject.

I have the honour to be,

Sir,

Your most obedient servant,

Chief Engineer of Mysore.

Submitted with refees.
In reasons mentioned in the Executive Engrs letter, the work need not be sanctioned at present. It is HRR. required for any relief of distress.

The work need not be Sanctioned

23/7/24

Drwan)

Letter No.37 dated the 10th July 1924, from the Executive Engineer, Tumkur Division, to the Chief Engineer of Mysore, Bangalore

---

With reference to your No.15334 dated the 30th June 1924, forwarding copy of Government Order No.1213-6/D.14-23 dated 26th June 19 I have the honor to report that the cost of maintaining the bund of Puradakere, Registered No.73 of Gubbi Taluk, amounts to Rs.2,480/-. T estimate already sanctioned for Nittur Amanikere is Rs.4,320/-. The revenue under the above two tanks is Rs.4,148/- and there is no separ atchkat for the Puradakere. The expenditure including temporary establishment on Nittur tank alone will be about Rs.4,750/- and all the expenditure on Pura tank will have to be met from Government funds.

2. An estimate for Rs.672/- for this tank was sanctioned by th Chief Engineer in August 1922 and being a tank discharging across Railway line, the work was completed in this Department just last ye before starting of Relief works with a total outlay of Rs.672/-. D to water in tank, even if the estimate be sanctioned, there is no pl for the coolies to work at present, nor is the work for the safety o the tank immediately necessary and unless the ryots agree to bear the whole of this expenditure also, or Government bear the whole of the outlay, the work may be over for one year, unless seasonal condition get worse.

3. The estimate is sent to the Deputy Commissioner for counte signature and return with a request to obtain Government sanction.

"C p p y."

Chief Engineer of Mysore.

HRR.